uni-right.com

UNI RIGHT

Add:12/F, Shenmao Commercial Centre, Xinwen Road,
Futian,ShenZhen,P.R.China
Http://www.uni-right.com E-mail: renofan@uni-right.com
Tel: 86-755-83736229 82949757 83736729 82945586 82949243

UNI RIGHT

ELECTRIC FAN
Catalogue

2027-2028

Product quality and service as life

uni-right.com



Custom solutions for yr brand

Premium quality proven performance

Reliable fans, trusted worldwide

Contents

1-32	Stand Fan
33-36	Desk Fan
37-41	Mini Fan
42-46	Box Fan
47-53	Wall Fan
54-56	Tower Fan
57-65	Rechargeable Fan
66	Orbit Fan
67-76	Metal Fan
77-79	Mist Fan
80-82	Air Cooler
83-84	Exhaust Fan
85	False Ceiling Fan
86-114	Ceiling Fan

16" Folded & Storage Stand Fan

Model: VS25-40DC

DC motor,
10 years guarantee
12V, 24W

Option
- With lithium battery
- Wifi



Adjustable Height



With Oscillation

Ourdoor/Indoor Usage






UNIRIGHT

PATENT 1 FOR INTERNAL STRUCTURE DESIGN







16" Folded & Storage Stand Fan
Loading qty: 1864pcs/HQ
Gift Box Size: 47.5x17.8x46cm
CE/ROHS/CB

PATENT 2 FOR COMPACT DESIGN







Model No.: UC001-40S
Single packing size: 51*14*56.5CM
1670pcs/40'HQ



Model No.: UC001-40FR
Single packing size: 51*14*56.5CM
1670pcs/40'HQ

3 IN 1



Model No. : UC001-40PB
Single packing size: 51*14.5*55CM
1550pcs/40'HQ



Model No. : UC001-40PR
Single packing size: 51*14.5*55CM
1550pcs/40'HQ



Model No.: UC001-40
Single packing size: 51*14*56.5CM
1670pcs/40'HQ




Model No.: UC001-40A
Single packing size: 51*14*56.5CM
1670pcs/40'HQ



Model No. : UC001-40P
Single packing size: 51*14.5*55CM
1550pcs/40'HQ

14” & 16” STAND FAN

BLDC motor
Rechargeable Lithium battery for option
Different guard & blade for option





Model No: US-14123M (14")
Model No: US-16123M (16")
Mechanical version
Stepless speed regulation



Model No: US-14123E (14")
Model No: US-16123E (16")
Electronic version
9 speed regulation
8 hours timer



3 IN 1

With Warm Light









Model No: US-1206A (12”)
AC motor 220-240V , 3 speeds,
With remote control, 4hrs timer, 3 modes,
Night light, strong/medium/week brightness options
1.1m height
1pc/box packing size : 53.5*16.5*35.5CM
2002pcs/40'HQ

Model No: US-1206DC (12")
DC motor 12V, 25W, 6 speeds,
Can be with rechargeable battery
Can work with solar panel
1pc/box packing size : 53.5*16.5*35.5CM
2002pcs/40'HQ





Model No.: US-12804R
Loading qty: 3000pcs/40'HQ
Gift Box Size:: 51*10.5*44cm

Model No.: US-16208R
Single packing size: 71*24.5*46cm
860pcs/40'HQ



Model No.: VS26-40
Loading qty : 1610pcs/40'HQ
Single packing size : 62.2*14.5*45CM



Model No.: US-16096R
Single packing size: 55*14*44CM
2000pcs/40'HQ



Model No.: US-16096PR-LED
Single packing size: 52*14.5*56.5CM
1560pcs/40'HQ



Model No: US-1640
Single packing size: 54*13.5*59.5CM
1570pcs/40'HQ

Model No: USS-1840
Single packing size: 59*14.5*59.5CM
1340pcs/40'HQ



Model No: US-1640R
Single packing size: 54*13.5*59.5CM
1570pcs/40'HQ

Model No: USS-1840R
Single packing size: 59*14.5*59.5CM
1340pcs/40'HQ

Stand Fan

Core Feature

Oscillation Option - Automatic Horizontal & Vertical

4 Modes (nature, normal, sleep, ultra soft breeze)

BLDC Motor





Oscillation Option, 45° - 90° - 180° - 300°



Model No.: US-L212DC
Loading qty: 1250pcs/40'HQ
Gift Box Size:: 55*20*50cm

Noise <40dB

UNIRIGHT





Oscillation Option, 90° - 180° - 300°



Model No.: US-L512DC
Loading qty: 1500pcs/40'HQ
Gift Box Size:: 55*20*50cm

Stand Fan



Model No.: US-16013
Single packing size: 51.5*13*48.5CM
2000pcs/40'HQ



Model No: US-16026P
Single packing size: 51*18*54.2CM
1460pcs/40'HQ





*125W+ POWERFUL MOTOR
*2100RPM+ HIGH SPEED

Model No.: US-16119
Single packing size: 46*18*46CM
1780pcs/40'HQ

Model No: US-16205
Single packing size: 51*13.5*51cm
1930pcs/40'HQ
CE/CB



Model No.: US-16102
Single packing size: 53.5*13*54CM
1865pcs/40'HQ



Model No: US-16115
Model No: US-16115R
Single packing size: 51*13.5*57CM
1730pcs/40'HQ



Model No: US-16113R
Single packing size: 45*17.5*56CM
1540pcs/40'HQ



Model No.: US-16113
Single packing size: 45*17.5*56CM
1540pcs/40'HQ



Model No.: US-16122R
Single packing size: 53*13*54.5CM
1820pcs/40'HQ



Model No.: US-16122
Single packing size: 53*13*54.5CM
1820pcs/40'HQ



Model No.: US-16122PR
Single packing size: 54*15*54.5CM
1540pcs/40'HQ



Model No.: US-16122P
Single packing size: 54*15*54.5CM
1540pcs/40'HQ



Model No.: US-16091
Single packing size: 48.5*12.5*54.5CM
2050pcs/40'HQ



Model No.: US-16091R
Single packing size: 48.5*12.5*54.5CM
2050pcs/40'HQ



Model No.: US-16037A
Single packing size: 56*13*48CM
1950pcs/40'HQ



Model No.: US-16124
Single packing size: 49*14.5*54CM
1770pcs/40'HQ



Model No.: US-16124R
Single packing size: 49*14.5*54CM
1770pcs/40'HQ



Model No.: US-16017
Single packing size: 48.5*13*53CM
2000pcs/40'HQ



Model No: US-16094
Model No: US-16094R
Single packing size: 52*12.5*43.5CM
2400pcs/40'HQ



Model No: US-16051
Model No: US-16051R
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing: 44*20.5*43.5CM
3492pcs/40'HQ



Model No: US-16015P
Single packing size: 55*12.5*44CM
2268pcs/40'HQ
2pcs/box packing size: 44*23*43.5CM
3050pcs/40'HQ



Model No: US-16076A
Single packing size: 52.5*11.5*44CM
2575pcs/40'HQ
2pcs/box packing size: 43*21*43CM
3240pcs/40'HQ



Model No: US-16063P
Single packing size: 53*13*46CM
2150pcs/40'HQ



Model No: US-16207R
Single packing size: 53*13*46CM
2150pcs/40'HQ



Model No: US-16069
Single packing size: 52.5*12*46CM
2340pcs/40'HQ
2pcs/box packing: 58*17*50CM
2750pcs/40'HQ




Model No: US-16033
Single packing size: 52.5*12*46CM
2340pcs/40'HQ
2pcs/box packing: 58*17*50CM
2750pcs/40'HQ



Model No: US-16077
Single packing size: 54*13*43.5CM
2260pcs/40'HQ
2pcs/box packing: 43*20*43.5CM
3630pcs/40'HQ





Model No: US-1675
Single packing size:52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size:43*17.5*43CM
4210pcs/40'HQ





Model No: US-16059B
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size: 43*17.5*43CM
4210pcs/40'HQ



Model No: FSG-1628
Loading qty: 3250pcs/HQ
Gift Box Size: 50x10x44.5CM
CE/GS/CB/ROHS/REACH/ERP



Model No: US-16204
Single packing size:: 51*10.5*44CM
3000pcs/40'HQ
CE/Rohs/Reach/ERP



Model No: US-16025
Loading qty: 2210pcs/HQ
Gift Box Size: 45x13x54CM
CE/GS/CB/ROHS/REACH/ERP



Model No: US-16015
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size: 43*17.5*43CM
4210pcs/40'HQ



Model No: ATF-40DR
Loading qty: 2300pcs/HQ
Gift Box Size: 53x12x46.5CM
CE/ROHS



Model No: US-16058
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size:43*17.5*43CM
4210pcs/40'HQ
4pcs/box packing size:49*46*24CM
5160pcs/40'HQ



Model No: US-16059
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size:43*17.5*43CM
4210pcs/40'HQ
4pcs/box packing size:49*46*24CM
5160pcs/40'HQ



Model No: US-16034
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size:43*17.5*43CM
4210pcs/40'HQ
4pcs/box packing size:49*46*24CM
5160pcs/40'HQ



Model No: US-16065
Single packing size: 52.5*11.5*43CM
2650pcs/40'HQ
2pcs/box packing size:43*17.5*43CM
4210pcs/40'HQ
4pcs/box packing size:48*46*23CM
5280pcs/40'HQ



Model No.: UC001-45
Single packing size: 58*14.5*54CM
1500pcs/40'HQ
EMC/LVD/ROHS

Model No.: UC001-45SR
Single packing size: 58*14.5*54CM
1500pcs/40'HQ
EMC/LVD/ROHS



Model No.: UC001-45ALU
Single packing size: 58*14.5*54CM
1500pcs/40'HQ





Model No.: UC001-45BR
Single packing size: 58*14.5*54CM
1500pcs/40'HQ



Model No.: UC001-45P
Single packing size: 64.5×15.5×55CM
1300pcs/40'HQ



Model No.: UC001-45DR
Single packing size: 64.5×15.5×55CM
1300pcs/40'HQ



Model No.: UC001-45S
Single packing size: 58*14.5*54CM
1500pcs/40'HQ



Model No: USS-18037A
Single packing size: 58*14*52.5CM
1640pcs/40'HQ



Model No: USS-18201R
Single packing size: 61.5*13.5*51.5CM
1600pcs/40'HQ



Model No: USS-18026P
Single packing size: 57*14.5*54CM
1535pcs/40'HQ



Model No: USS-18017
Single packing size: 58*13.5*53CM
1710pcs/40'HQ



Model No: USS-18115R
Model No: USS-18115
Single packing size: 54*13.5*57CM
1630pcs/40'HQ



Model No: USS-18013
Single packing size: 64.5*15.5*51CM
1330pcs/40'HQ



Model No.: USS-18122P
Model No.: USS-18122PR
Single packing size: 58*17.5*55CM
1210pcs/40'HQ



Model No.: USS-18122
Model No.: USS-18122R
Single packing size: 54*14*54.5CM
1650pcs/40'HQ



Model No: USS-18045
Model No. : USS-18045R
Single packing size: 55.5*13.5*54CM
1690pcs/40'HQ



Model No. : USS-18093
Single packing size: 59*13.5*59CM
1520pcs/40'HQ



Model No: USS-18120P
Single packing size: 61*13.5*50CM
1610pcs/40'HQ



Model No: USS-2037P
Single packing size: 65*18*56.3CM
1056pcs/40'HQ



Model No: USS-2037
Single packing size: 67*13*56CM
1400pcs/40'HQ



Model No: UC001-50SP
Single packing size: 65*18*56.3CM
1056pcs/40'HQ



Model No: UC001-50
Single packing size: 67*13*56CM
1400pcs/40'HQ



Model No: UC001-50SPR
Single packing size: 65*18*56.3CM
1056pcs/40'HQ



Model No: USS-18104 PRO
Single packing size: 60.5*18.5*60.5CM
1000pcs/40'HQ

Model No: USS-20104 PRO
Single packing size: 66.5*18.5*61CM
897pcs/40'HQ





Model No: USS-18104R PRO
Single packing size: 60.5*18.5*60.5CM
1000pcs/40'HQ

Model No: USS-20104R PRO
Single packing size: 66.5*18.5*61CM
897pcs/40'HQ




Model No: USS-18104
Single packing size: 60X13.5X60CM
1430pcs/40'HQ

Model No: USS-20104
Single packing size: 66X13.5X61CM
1260pcs/40'HQ



Model No: USS-18104R
Single packing size: 60X13.5X60CM
1430pcs/40'HQ

Model No: USS-20104R
Single packing size: 66X13.5X61CM
1260pcs/40'HQ



Model No: USS-1827A
Single packing size: 60*14.5*50CM
1530pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2450pcs/40'HQ



Model No: USS-1827P
Single packing size: 62*15*49CM
1280pcs/40'HQ
2pcs/box packing size: 62*52*18CM
2300pcs/40'HQ



Model No: USS-1827PB
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*15.5CM
2620pcs/40'HQ





Model No: USS-1827P-2
Single packing size: 62*16.5*50CM
1330pcs/40'HQ
2pcs/box packing size: 66*18.5*51 CM
2200pcs/40'HQ



Model No: USS-1827P-1
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2450pcs/40'HQ




Model No.: USS-18056PB
Single packing size: 61.5*11.5*52CM
1850pcs/40'HQ



Model No.: USS-18057PB
Single packing size: 58*15*49CM
1590pcs/40'HQ



Model No: USS-1819
Single packing size: 60*14.5*50CM
1530pcs/40'HQ
2pcs/box packing size: 62*50*20CM
2160pcs/40'HQ



Model No: USS-18731D
Single packing size: 60*14.5*50CM
1530pcs/40'HQ
2pcs/box packing size: 62*50*20CM
2160pcs/40'HQ



Model No. : USS-18731C
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No. : USS-18731B
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No. : USS-18360
Single packing size: 65*50*16CM
1300pcs/40'HQ
2pcs/box packing size: 65*52*17CM
2310pcs/40'HQ



Model No. : USS-18721
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No: USS-1801D
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No: USS-1801R
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No: USS-1801
Single packing size: 62*15*50CM
1475pcs/40'HQ
2pcs/box packing size: 62*52*17CM
2460pcs/40'HQ



Model No.: UR-ISI (5)
Single packing size: 51*23*52CM
1140pcs/40'HQ



Model No.: UR-ISE (7)
Single packing size: 51*23*52CM
1140pcs/40'HQ

Model No.: UR-ISE (5)
Single packing size: 51*23*52CM
1140pcs/40'HQ




Model No. : USS-1001P
4pcs packing size: 40*35*28cm
6880pcs/40'HQ

Model No. : USS-1201P
4pcs packing size: 46*36.5*33cm
4880pcs/40'HQ

Model No. : USS-1001P
6pcs packing size: 39*35*33.5cm
9000pcs/40'HQ

Model No. : USS-1201P
4pcs packing size: 42*36*28cm
6400pcs/40'HQ



Model No. : USS-1001
4pcs packing size: 46*34*24.5cm
7060pcs/40'HQ

Model No. : USS-1201
4pcs packing size: 43*35*27cm
6600pcs/40'HQ

Model No. : USS-1001
6pcs packing size: 39*35*33.5cm
9000pcs/40'HQ

Model No. : USS-1201
4pcs packing size: 43*35*27cm
6600pcs/40'HQ



Model No. : USS-0802T
Model No. : USS-1002T
Model No. : USS-1202T
Single packing: 43*14.5*32cm
3400pcs/40'HQ



Model No. : USS-0801T
Model No. : USS-1001T
Model No. : USS-1201T
Single packing: 43*14.5*32cm
3400pcs/40'HQ

High RPM strong fan with air flow





Model: USS-0801TR
Model: USS-1001TR
Model: USS-1201TR
Single packing: 54*19.5*34cm
1900pcs/40'HQ



Model No. : USS-1003TR
Single packing: 50*24.5*35.5
1550pcs/40'HQ



Automatically



Model No. : USS-0903R
Single packing: 57.5*32.5*35cm
1008pcs/40'HQ



Model No. : USS-1004T
Single packing: 39X13X51cm
2580pcs/40'HQ
CE/CB

Model No. : USS-1204T
Single packing: 49X13.5X51cm
2040pcs/40'HQ
CE/CB



Model No. : USS-1004TR
Single packing: 39X13X51cm
2580pcs/40'HQ
CE/CB

Model No. : USS-1204TR
Single packing: 49X13.5X51cm
2040pcs/40'HQ
CE/CB



Model No.: TF-40(16")
Loading qty: 1860pcs/HQ
Gift Box Size: 44x17.5x47cm
CE/CB/ROHS/REACH/ERP/UKCA/ETL



Model No.: TF-30(12")
Loading qty: 2310pcs/HQ
Gift Box Size: 35.5x21.5x38cm
CE/CB/ROHS/REACH/ERP/UKCA/ETL



Model No.: TF-23(9")
Loading qty: 4850pcs/HQ
Gift Box Size: 27x17.8x30.5cm
CE/CB/ROHS/REACH/ERP/UKCA



Model No: UD-1678
Single packing size: 43.5*18.5*43.5CM
1950pcs/40'HQ



Model No: UD-1278
Single packing size: 36.5*18*35CM
2960pcs/40'HQ



Model No: UD-0978
Single packing size: 39*10.5*30CM
5700pcs/40'HQ



Model No.: UD-1655




Model No.: UD-1652
Loading qty: 2428pcs/HQ
Single box size: 55*12*43cm



Model No: UD-0851
Singel box size: 24*21.5*31cm
4250pcs/40'HQ
CE/CB Certificates



Model No: UD-0853
Single packing size: 41*28*27CM
2200pcs/40'HQ



Model No: UD-1649
2pcs/box packing size: 43*23*44CM
3120pcs/40'HQ




Model No: UD-1650
Single packing size: 43.5x16x49.5cm
2000pcs/40'HQ



Model No: UD-1605
Single packing size: 44*18*44CM
1950pcs/40'HQ



Model No: UD-1805
Single packing size: 51*18*51CM
1380pcs/40'HQ



Model No: UD-1636
Single packing size: 43*24*46CM
1350pcs/40'HQ
2pcs/box packing size: 44*25*49CM
2580pcs/40'HQ




Model No. : UD-1609
Single packing size: 43*19*43CM
1944pcs/40'HQ

Model No. : UD-1209
Single packing size: 35*19*41CM
2540pcs/40'HQ

Model No. : UD-0909
Single packing size: 28*16*30CM
4326pcs/40'HQ



Model No: UD-1645
Single packing size: 43*22*47CM
1500pcs/40'HQ
2pcs/box packing size: 44*24*48.5CM
2580pcs/40'HQ



Model No: UD-1644
Single packing size: 43*24*46CM
1350pcs/40'HQ
2pcs/box packing size: 44*24*48.5CM
2580pcs/40'HQ



Model No.: FJ-15(6")
Loading qty: 4194pcs/20'GP, 9414pcs/HQ
Gift Box Size: 44.8x41x22.8cm
6pcs/Master Carton
CE/GS/ROHS/REACH/CB/SAA

Model No.: FJ-18(7")
Loading qty: 3374pcs/20'GP, 7734pcs/HQ
Gift Box Size: 44.8x41x24.8cm
6pcs/Master Carton
CE/GS/ROHS/REACH/CB/SAA



Model No.: FT-15C(6")
Loading qty: 3234pcs/20'GP, 7200pcs/HQ
Gift Box Size: 46.5x32.5x48cm
30pcs/Master Carton
CE/GS/ROHS/REACH/CB/SAA

Model No.: FT-18C(7")
Loading qty: 2280pcs/20'GP, 6480pcs/HQ
Gift Box Size: 58X38.7X27cm
6pcs/Master Carton
CE/GS/ROHS/REACH/CB/SAA



Model No. : UTS-U608(6")
3 speeds,
45 degree up &down tilting angle
with & w/o oscillation is available
with & w/o rechargeable battery is available
12pcs/master carton
8000pcs/40'HQ;7632pcs/40'GP; 3744pcs/20'GP



Model No. : UTS-U403B
4" USB table fan
DC5V, 2.5W
1 or 2 speeds
1pc/color box, 30pcs/CTN
24750pcs/40"HQ, 22800pcs/40"GP,
11040pcs/20"GP



Model No. : UTS-U606(6")
2 speeds
12pcs/master carton
5700pcs/40'HQ
2700pcs/20'GP



Model No. : UTS-U406B(4")
Rechargeable function is available
1 speed
20pcs/master carton
18400pcs/40'HQ, 7940pcs/20'GP





Model No.: RB-U103
10" USB Rechargeable fan
DC brushless motor; DC 5V 10W
4 SPEEDS
3.7V 3600mAh lithium battery
Duration: 2-19hours
Timer: 1-2-4-8 hours
1pc/colour box,12pcs/master carton
6048pcs/40'HQ , 2592pcs/20'GP



Model No. : UTS-H296
10" Rechargeable Table Fan
AC/DC operated ; DC 5V Type-C port for charging
With 3.7V 4*1.8Ah Li-ion battery
Charging time 5hours ;
Duration : 4.5-16hours;
Brushless DC motor ; 3 speed choice;
Battery indicator light ;
20 powerful SMD for light
2 DC 3V output port for LED bulb lighting
Packing : 1pc/box , 10pcs/master carton, 5630pcs/40'HQ



Model No. : UTS-U401A(4")
1 speed
30pcs/master carton
24150pcs/40'HQ
10620pcs/20'GP



Model No. : UTS-U601A(6")
1 speed
20pcs/master carton
14000pcs/40'HQ
5880pcs/20'GP



Model No. : UTS-U403(4")
1 speed
30pcs/master carton
23100pcs/40'HQ
10620pcs/20'GP



Model No. : UTS-U509(5")
3.7V 18650 Lithium battery, 3600mAh
Charging time: 4 hours
Duration: 3-12 hours
70 degrees left and right swing auto,
45 degrees up and down by hand
Carton packing size: 60.5*36.5*57CM
16pcs/master carton
7296pcs/40'HQ, 3456pcs/20'GP





Model No. : UTS-U506(5")
4 speeds,
with & w/o oscillation is available
with & w/o rechargeable battery is available
12pcs/master carton
7488pcs/40'HQ; 3528pcs/20'GP



Model No. : UTS-U501(5")
2 speeds, with oscillation
Can work with 4aa batteries
20pcs/master carton
13720pcs/40'HQ
5700pcs/20'GP



Model No. : UTS-U407C(4")
3 speeds
with 3.7V 1200mAh 18650 Lithium battery
Charging time: 3 hours
Duration: 2-4 hours
30pcs/CTN
52920pcs/40'HQ
19440pcs/20'GP



Model No. : UTS-U201(2.5")
3 speeds, 6W
3.7V 1200mAh 18650 Lithium battery
1pc/color box, 60pcs/CTN
92400pcs/40'HQ
39600pcs/20'GP



Model No. : UTS-626
6" Rechargeable Fan
DC 5V Type-C port for charging
With 3.7V 2*1.8Ah Li-ion battery
Charging time 4hours ;
Duration : 3-10hours;
Brushless DC motor ; 3 speed choice, foldable type;
Battery indicator light ;
Packing : 1pc/box , 20pcs/carton, 20120pcs/40'HQ



Model No.:UH-001S
5 speed
rapid cooling
Input Voltage: DC5V
Operating power: 5W
Battery Capacity: 2000mAh
Charge time: about 3H
use time：2-8H
speed+ Icy：1-1.25H
Carton size:34.2*27.6*34.2CM
Master carton:60PCS



Model No.:UH-003S
199 speed
rapid cooling
foldable
digital display
input Voltage: DC5V
Operating power: 8.5W
Battery Capacity: 4000mAh
charging time: 3.5-4H
duration time: 3-12H
Carton size:60*40*32CM
Master carton:90PCS



Model No.:UH-002S
100 speed
Digital display
rapid cooling
Input Voltage: DC5V
Operating power: 5W
Battery Capacity: 2000mAh
Charge time:3.1H
duration time: 1.2-5.2h
Carton size:41.5*39.5*40cm
Master carton:50pcs



Model No.:UH-005S
100 speed
rapid cooling
with oscillation function
digital display
input Voltage: DC5V
Operating power: 4.1-9.2W
Battery Capacity:3000mAh
charge time: 3.4H



Model No.:UH-015S
3 speed
foldable
with light function
Input Voltage: DC5V
Operating power: 5W
Battery Capacity: 1200mAh
Carton size:42*40*43CM
Master carton:100PCS



Model No.:UH-019S
5 speed
solar charging
with base
input Voltage: DC5V
Operating power: 6W
Battery Capacity: 5000mAh
Carton size:50*39*28.5CM
Master carton:60PCS





Model No: UTS-U801(8")
8" Rechargeable tool table fan
2 speeds
21V, replaceable Lithium battery
Auto left & right swing
1pc/color box, 12pcs/CTN
6912pcs/40'HQ, 3168pcs/20'GP



Model No: UTS-U1001 (10")
10" Rechargeable tool table fan
Stepless speed regulation
21V, replaceable Lithium battery
Auto left & right swing
1pc/color box, 12pcs/CTN
6480pcs/40'HQ, 2800pcs/20'GP



Model No.: RB-606(6")
DC 5V Type-C port (with 0.8 meter cable)
2 speed choice
3.7V 2*1.8Ah Li-ion battery
Charging time: 4 hours
Duration: 2.5-4hrs
16 Powerful SMD for light
DC 5V USB output Jack for mobile charge
Option for solar panel & external LED bulb
Packing: 1 pc/ colour box, 10pcs/master carton
40'HQ: 10500pcs



Model No.: RB-607(7")
DC 5V Type-C port (with 1 meter cable)
2 speed choice
3.7V 3*1.5Ah Li-ion battery
Charging time: 5 hours
Duration: 3.5-5hrs
16 Powerful SMD for light
DC 5V USB output Jack for mobile charge
Option for solar panel & external LED bulb
Packing: 1 pc/ colour box, 10pcs/master carton
40'HQ: 8350pcs



Model No. : RS-620
20" Rechargeable Ceiling Fan
Brushless DC motor, 3 speed choice
With remote control
DC 5V type-C port for charging
3.7V 10800Mah Lithium iron phosphate battery
Charging time : 8hours
Duration: 6-20hours
Over charge and over discharge protection
1pc/colour box, 20pcs/master carton
23560pcs/40'HQ

8" Circulation Fan AC/DC

UNI RIGHT



Model No: RB-U803, Rechargeable
*DC Brushless Motor
*DC 5V, 10W
*Lithium-ion Battery 3.7V 3600mAh
*Working Time: 1.5hrs ~ 7hrs
*Charging Time: 3.5hrs



Model No: BF-DC803
DC Motor, 12V, 13W



Model No: BF-D803
DC Motor, 12V, Available
Model No: BF-A803
AC Motor, 230V/50Hz, 33W, Available







*CE/ROHS
*4pcs/Master Carton
*Gift Box Size: 28x15.8x27.5cm
*Master Carton: 64.5x29x29cm
*Loading qty: 1932pcs/3864pcs/4416pcs



Mini Fan



Model No.: BF-0806
Size: 8"
1pc/carton; 10pcs/master carton
Master carton size: 71.5*31*59.5CM
5200pcs/40'HQ



Model No.: BF-0804
Size: 8"
1pc/carton,6pcs/master carton
Master carton size : 59*47*27.5CM
5340pcs/40'HQ



Model No.: BF-1243
Size: 12"
Single packing size: 38*14*42.5CM
3000pcs/40'HQ



Model No.: BF-1210
size: 12"
Single packing size: 37.5*14*42CM
3130pcs/40'HQ



Model No.: BF-1002T
10" Floor fan
3 speeds
Strong wind power, 8.4M/S
DC Motor: 35W, RPM2100
AC Motor: 90W, RPM2100
Singel box size: 31.5*19.5*33cm; 3350pcs/40HQ
CE/CB Certificates



Model No.: BF-1220
Size: 12"
Single packing size: 39.7*16.5*44CM
2520pcs/40'HQ



Model No.: BF-1220R
Size: 12"
Single packing size: 39.7*16.5*44CM
2520pcs/40'HQ



Model No.: BF-1484
Size: 14"
Single packing size: 45*19*50CM
1560pcs/40'HQ

Model No.: BF-1284
Size: 12"
Single packing size: 39*16*45CM
2500pcs/40'HQ

Model No.: BF-1684
Size: 16"
Single packing size: 48.5*19*55.5CM
1350pcs/40'HQ



Model No.: BF-1885
Size: 18"
Single packing size: 50.3*15*49CM
1830pcs/40'HQ

Model No.: BF-1485
Size: 14"
Single packing size: 44*13.5*42.5CM
2750pcs/40'HQ

Model No.: BF-2085
Size: 20"
Single packing size: 58.7*16.5*58.5CM
1180pcs/40'HQ

Model No.: BF-1685
Size: 16"
Single packing size: 46*14*47CM
2240pcs/40'HQ



Model No.: BF-2092
Size: 20"
Single packing size: 59*15.5*58.7CM
1320pcs/40'HQ



Model No.: BF-2092R
Size: 20"
Single packing size: 59*15.5*58.7CM
1320pcs/40'HQ



Model No.: BF-2001
Size: 20"
Single packing size: 55*14.5*57CM
1520pcs/40'HQ



Model No.: BF-2095
Size: 20"
Single packing size: 57.5*13.5*59.5CM
1540pcs/40'HQ



Model No.: BF-2094
Size: 20"
Single packing size: 58*16.5*58.6CM
1300pcs/40'HQ



Model No.: BF-2089
Size: 20"
Single packing size: 59.3*16*57.6CM
1280pcs/40'HQ



Model No.: UW-1838P
Single packing size: 53*22*53 CM
1130pcs/40'HQ

Model No.: UW-2038SP
Single packing size: 54.5*24*56.5CM
900pcs/40'HQ



Model No.: UW-1838
Single packing size: 51*18.5*51CM
1330pcs/40'HQ

Model No.: UW-2038
Single packing size: 56.5*20*56.5CM
1124pcs/40'HQ



Model No.: UW-1838R
Single packing size: 51*18.5*51CM
1330pcs/40'HQ

Model No.: UW-2038R
Single packing size: 56.5*20*56.5CM
1124pcs/40'HQ




Model No.: UW-1638A
Single packing size: 43.5*18*43.5CM
2100pcs/40'HQ



Model No.: UW-1830P
Single packing: 51*21*50.5cm
1260pcs/40'HQ



Model No.: UW-1830PR
Single packing: 71*13.5*51cm
1390pcs/40'HQ



Model No.: UW-1830
Single packing size: 50.5*18.5*50CM
1470pcs/40'HQ



Model No.: UW-1830R
Single packing size: 50.5*18.5*50CM
1470pcs/40'HQ



Model No.: UW-1818 Pro
Model No.: UW-2018 Pro
18": Single packing size: 71*13.5*51CM
1405pcs/40'HQ
20": Single packing size: 57*15*81.5CM
980pcs/40'HQ



Model No.: UW-1818R Pro
Model No.: UW-2018R Pro
18": Single packing size: 71*13.5*51CM
1405pcs/40'HQ
20": Single packing size: 57*15*81.5CM
980pcs/40'HQ



UW-1886 Pro
UW-2086 Pro
18": Single packing size: 71*13.5*51CM
1405pcs/40'HQ
20": Single packing size: 57*15*81.5CM
980pcs/40'HQ



Model No.: UW-1631R
Model No.: UW-1831R
16" Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*20.5*43.5CM
3540pcs/40'HQ

18" Single packing size: 50.5*17.5*50.5CM
1490pcs/40'HQ
2pcs/box packing size: 50.5*20.5*50.5CM
2520pcs/40'HQ



Model No.: UW-1631
Model No.: UW-1831
16" Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*20.5*43.5CM
3540pcs/40'HQ

18" Single packing size: 50.5*17.5*50.5CM
1490pcs/40'HQ
2pcs/box packing size: 50.5*20.5*50.5CM
2520pcs/40'HQ



Model No.: UW-1632R
Model No.: UW-1832R
16" Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*20.5*43.5CM
3540pcs/40'HQ

18" Single packing size: 50.5*17.5*50.5CM
1490pcs/40'HQ
2pcs/box packing size: 50.5*20.5*50.5CM
2520pcs/40'HQ



Model No.: UW-1632
Model No.: UW-1832
16" Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*20.5*43.5CM
3540pcs/40'HQ


18" Single packing size: 50.5*17.5*50.5CM
1490pcs/40'HQ
2pcs/box packing size: 50.5*20.5*50.5CM
2520pcs/40'HQ



Model No.: UW-1849SR
18": Single packing size: 51*18*51CM
1460pcs/40'HQ
20": Single packing size: 57*18*57CM
1180pcs/40'HQ



Model No.: UW-1849
Model No.: UW-2049
18": Single packing size: 51*18*51CM
1460pcs/40'HQ
20": Single packing size: 57*18*57CM
1180pcs/40'HQ



Model No.: UW-1616
Model No.: UW-1616R
Single packing size: 45*18*45 CM
1880pcs/40'HQ
2pcs/box packing size: 43.5*23.5*43.5CM
2900pcs/40'HQ



Model No.: UW-1816
Model No.: UW-1816R
Single packing size: 58*17.3*51CM
1396pcs/40'HQ
2pcs/box packing size: 51*22*50.5CM
2370pcs/40'HQ



Model No.: UW-1637
Model No.: UW-1637R
Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*20.5*43.5CM
3540pcs/40'HQ



Model No.: UW-1837
Model No.: UW-1837R
Single packing size: 50.5*17.5*50.5CM
1490pcs/40'HQ
2pcs/box packing size: 50.5*20.5*50.5CM
2520pcs/40'HQ



Model No.: UW-1634
Model No.: UW-1634R
Single packing size: 44*16*44CM
2250pcs/40'HQ



Model No.: UW-1696R
Loading qty : 1640pcs/40'HQ
Single packing size : 45.5*20*45.5CM



Model No.: UW-1806
Model No.: UW-1806R
Single packing size: 51*13*51CM
1980pcs/40'HQ
2pcs/box packing size: 51*19*51CM
2570pcs/40'HQ



Model No.: UW-1606
Model No.: UW-1606R
Single packing size: 43*13*43CM
2850pcs/40'HQ
2pcs/box packing size: 43*18.5*43CM
3900pcs/40'HQ



Model No.: UW-1682
Model No.: UW-1682R
Single packing size: 43.5*17.5*43.5CM
2100pcs/40'HQ
2pcs/box packing size: 43.5*19*43.5cm
3780pcs/40'HQ



Model No.: UW-1656A
Single packing size: 43*13*43CM
2850pcs/40'HQ
2pcs/box packing size: 43*18.5*43CM
3900pcs/40'HQ



Model No.: UW-1002TR (10")
10"/12": AC Motor: 75W; DC Motor:35W
Singel box size: 46.5*13.5*34cm; 3180pcs/40HQ
UW-1202TR (12")
Singel box size: 51.5*13.5*36.5cm; 2650pcs/40HQ
CE/CB Certificates



Model No.: UW-1002T(10")
10"/12": AC Motor 75W; No DC motor
Singel box size: 46.5*13.5*34cm; 3180pcs/40HQ
UW-1202T (12")
Singel box size: 51.5*13.5*36.5cm; 2650pcs/40HQ
CE/CB Certificates

High RPM fan with strong air flow



Model No.: UW-1004T
Single packing size: 52X14X36cm
2650pcs/40'HQ

Model No.: UW-1204T
Single packing size: 52X14X41cm
2270pcs/40'HQ
CE/CB




Model No.: UW-1004TR
Single packing size: 52X14X36cm
2650pcs/40'HQ

Model No.: UW-1204TR
Single packing size: 52X14X41cm
2270pcs/40'HQ
CE/CB



Model No.: TF-63
Product height : 117CM
Single packing size: 19.6*17.5*119.6CM
1650pcs/40'HQ



Model No.: TF-64
Product height : 83CM
Single packing size: 95*16*22CM
2000pcs/40'HQ
CE/ROHS/REACH/ERP/GS/
UKCA/CB



Model No.: TF-59R
Product height: 93CM
Single packing size:19*17.5*93.5CM
2180pcs/40'HQ
Model No.: TF-59HR
Product height: 120CM
Single packing size: 19*17.5*120CM
1700pcs/40'HQ



Model No.: TF-29HR
Product height : 100CM
Single packing size : 18*18*102.2CM
2170pcs/40'HQ
CE/ROHS



Model No.: TF-29
Product height : 79cm
Single packing size : 17.5*15.5*81.5CM
2870pcs/40'HQ
CE/ROHS





Model No.: TF-14R
Product height : 40CM
Single packing size: 15*15*41.5CM
Master carton size (6pcs): 46.2*31*42.7CM
6672pcs/40'HQ
CE/ROHS





Model No.: TF-14
Product height : 40CM
Single packing size: 15*15*41.5CM
Master carton size (6pcs): 46.2*31*42.7CM
6672pcs/40'HQ
CE/ROHS



Model No.: TF-69R/ TF-69RF/ TF-69RH
Product height: 92cm / 102cm / 117.5cm
Single packing size:
TF-69R: 93.5x19x19cm, 2100pcs/40'HQ
TF-69RF: 105.5x19x19cm, 1850pcs/40'HQ
TF-69RH: 119x19x19cm, 1456pcs/40'HQ
CE/ROHS





Model No.: TF-32R



Model No.: TF-32LED

Model No.: TF-32/TF-32R/TF-32LED
Product height : 77CM
Single packing size: 16.5*15.2*76CM
3550pcs/40'HQ
CE/ROHS/UKCA/CB





Model No.: TF-60



Model No.: TF-60T



Model No.: TF-60R

Model No.: TF-60/TF-60T/TF-60R
Product height: 82.6cm
Single packing size: :86*16.5*16cm
3008pcs/40'HQ
CE/ROHS



Model No.:TF-18
Product height : 77CM
Single packing size: 13.5*16*77.5cm
4050pcs/40'HQ





Model No.: TF-15R

Model No.: TF-15/TF-15R
Product height : 91CM
Single packing size: 20.5*18.5*90.5CM
1980pcs/40'HQ




Model No.: TF-15HR
Product height : 117CM
Single packing size : 20.7*18.5*116CM
1520pcs/40'HQ






Model No.: TF-15H
Product height : 117CM
Single packing size : 20.7*18.5*116CM
1520pcs/40'HQ





Model No.: TF-06R
Product height : 81CM
Single packing size: 18*15*86CM
2920pcs/40'HQ





Model No.: TF-06
Product height : 81CM
Single packing size: 18*15*86CM
2920pcs/40'HQ



Model No.: TF-65/TF-65R
Product height : 81.5CM
Single packing size: 17.5*17*81.3CM
2840pcs/40'HQ
CE/ROHS/REACH/ERP/GS/UKCA/
CB/ETL

Rechargeable Fan



Option to add 2pcs external LED bulb & Solar Panel & Remote Control

Model no.	RS-4016	RS-4016B	RS-4018	RS-4018B	RS-4018BL	RS-4020B	RS-4020BL
Size	16"	16"	18"	18"	18"	20"	20"
Motor	DC motor	BLDC motor	DC motor	BLDC motor	BLDC motor	BLDC motor	BLDC motor
Speed option	9 Speed	5 Speed	9 Speed	5 Speed	5 Speed	5 Speed	5 Speed
Seal Lead Acid Battery	12V 4.5-5.0Ah	6V 4.5Ah	12V 4.5-5.0Ah	12V 4.5-5.0Ah		12V 4.5-5.0Ah	
Lithium Iron Phosphate Battery					12.8V 4500MAH		12.8V 4500MAH
Timer	0.5Hrs						
Charging time	12hrs	10hrs	12hrs	12hrs	12hrs	12hrs	12hrs
Duration	3-15hrs	2.5-15hrs	2.5-12hrs	2.5-15hrs	2.5-15hrs	2.5-15hrs	2.5-15hrs
USB/MP3 / FM Radio/Bluetooth	for option						
Jack for Solar charge	DC 15V input	DC 9V input	DC 15V input	DC 15V input	DC 15V input	DC 15V input	DC 15V input
Packing	1pc/colour box						
Box Size	63.8*13*57cm	63.8*13*57cm	63.8*13*63.2cm	63.8*13*63.2cm	63.8*13*63.2cm	63.8*15.5*68cm	63.8*15.5*68cm
QTY/HQ	1470pcs	1470pcs	1310pcs	1310pcs	1310pcs	1002pcs	1002pcs



Model No.: RS-8516D(16")

AC / DC operation
Brushless DC motor
6V 4-4.5Ah seal lead acid battery
Charging time : 12hours
Duration : 3-20hrs
Option for remote control
5 speed choice
2 pcs DC 6V output Jack for LED bulb
DC 5V USB output Jack for mobile charge
DC 9V input Jack for Solar charge
Solar panel & Phone Charger &
External LED bulbs
available (extra purchase)
Packing: 1 pc/ box, 1650pcs/40'HQ




Model No.: RS-1630(16")
Model No.: RS-1830(18")

AC / DC operation
12V 4.5-5.0Ah seal lead acid battery
Charging time : 12hours
Duration : 3-15hrs for RS-1630
2.5-12hrs for RS-1830
Option for remote control
9 speed choice
0.5 Hour Timing Function (WITH REMOTE)
2 pcs DC output Jack for LED light
DC 5V USB output Jack for mobile charge
DC 15V input Jack for Solar charge
Packing:1pc/ color box
16": 1470pcs/40'HQ; 18": 1290pcs/40'HQ



Model No.: RS416-40(16")

AC/DC operation
Brushless DC motor
6.4V 5000MAH Lithium Iron Phosphate Battery
Charging time: 10hours
Duration :2-20hours
Option for remote control5speed choice
12 powerful SMD for light
2pcs DC 6V output jack for LED bulb
DC5V USB output jack for mobile charge
DC9V input jack for solar charge
Over charge and over discharge protection
Packing:1pc/box
Box size: 57*12*45cm, 2160 pcs/40'HQ



Model No.: RS-S116(16")
Model No.: RS-S118(18")

AC / DC operation
12V 4.5-5.0Ah seal lead acid battery
Charging time : 12hours
Duration : 3-15hrs for RS-S116
2.5-12hrs for RS-S118
Option for remote control
9 speed choice
0.5 Hour Timing Function
DC 5V USB output Jack for mobile charge
DC 15V input Jack for Solar charge
2 pcs DC 12V output Jack for LED light
Solar panel & Phone Charger & LED bulb
available (extra purchase)
Packing: 1pc/box
RS-S116: 1630pcs/40'HQ
RS-S118: 1470pcs/40'HQ



Model No.: RS-16008(16")

AC / DC operation
DC12V copper motor
3 speeds
17W, RPM1450-1500
11.1V /2400mAh lithium battery
Charging time: 4hrs
Duration: 2-8hrs
Plastic guard Φ 386mm
5 PP blade Φ356mm
External switch power supply
12.6V1.2A with full indicator
Packing:1pc/color box
40'HQ: 1530pcs



Model No.: RS-700(16")
Model No.: RS-700(18")

AC / DC operation
12V 4.5-5.0Ah seal lead acid battery
Charging time : 12hours
Duration : 3-15hrs for RS-700(16")
2.5-12hrs for RS-700(18")
Option for remote control
9 speed choice with display
0.5 Hour Timing Function
DC 5V USB output Jack for mobile charge
DC 16V input Jack for Solar charge
2 pcs DC 12V output Jack for LED light
Solar panel & Phone Charger & LED bulb available (extra purchase)
Packing: 1pc/box
RS-700(16"): 1470pcs/40'HQ
RS-700(18"): 1310pcs/40'HQ



Model No.: RS-16004

AC/DC operated
3 speed
12V DC motor without battery
With adaptor built-in & AC plug
Option for crocodile clip
12pcs of LED light
DC 5V USB output jack for mobile charge
Packing:
2 pcs/ box, 3000pcs/40'HQ
1 pc/ box, 2080pcs/40'HQ



Model No.: RS-16003

AC/DC operation
3 speed
11.1V 2200mAh Lithium Iron Phosphate Battery
Duration: 2.2-6 hrs
Charging time: 2-3 hrs
DC 5V USB output jack for mobile charge
With 1.5M cable adaptor 15V3Ah
Option for solar panel charge
Option for Crocodile clip
2 pcs of external LED bulb available
1pc/color box, 2038pcs/40'HQ




Model No.:RS-16005

With LED light
With 7.4V 4000mAh Lithium battery
3.5hr duration for high speed
Single packing: 49*12.5*55cm
2100pcs/40'HQ




Model No.: RS-16009(16")
Model No.: RS-18009(18")

9 speed choice
With remote control + 0.5hr timer
With soft touch control panel
With LED display for speed and power capacity
Powerful LED light with 2 brightness
11.1V 4000mah 18650 Lithium Battery
Charging time: ≈3hrs
Duration: ≈3.5hrs for high speed
2pcs DC 12V output Jack for LED bulb
DC 5V USB output Jack for mobile charge
DC15V input Jack for Solar charge
Packing: 1pc/ color box
RS-16009 – 16": 50*13*56cm, 1850pcs/40'HQ
RS-18009 – 18": 59*13*56cm, 1590pcs/40'HQ



Model No.:RW-1601(16")
Model No.:RW-1801(18")

With LED light
With 11.1V 4000mAh Lithium battery
3.5hr duration for high speed
16": Single packing: 44*18*43.5cm
1970pcs/40'HQ
2pcs/box packing: 44*22*43.5cm
3220pcs/40'HQ
18": Single packing: 50.5*18.5*50cm
1470pcs/40'HQ





Model No.:RW406-40(16")

AC/DC operation
Brushless DC motor
5 speed choice
6.4V 5000MAH Lithium Iron Phosphate Battery
Charging time: 10hours
Duration:2.5-20hours
Option for remote control
12 powerful SMD for light
2pcs DC 6V output jack for LED bulb
DC 5V USB output jack for mobile charge
DC 9V input jack for solar charge
Over charge and over discharge protection
Packing: 1pc/box, 3pcs/master carton 1740pcs/40'HQ




Model No.:RD-1618(16")

With LED light
With 7.4V 4000mAh Lithium battery
3.5hr duration for high speed
Single packing: 43.5*18*43cm
1990pcs/40'HQ
2pcs/box packing: 47*23.5*48.5cm
2520pcs/40'HQ



Model No.:RD-1218"(12")

With LED light
With 7.4V 4000mAh Lithium battery
4hr duration for high speed
Single packing: 35*18*34cm
3170pcs/40'HQ



Model No.: RD-3164(14")
Model No.: RD-3166(16")

AC / DC operated
3 speed choice
6V7Ah seal lead acid batery
Charging time: 15 hours
Duration: 4.5-14hrs for 14";
4-12hrs for 16"
8 Powerful SMD for light
Option for wall fan function
Option for with remote control
Packing: 1 pc/ colour box,
3pcs/master carton
40'HQ: 14" , 2040pcs;
16" , 1740pcs;



Model No.: RD-8512(12")

AC / DC operated
5 speed choice
Brushless DC motor
2*3.2V 3800MAH Lithium Iron Phosphate Battery
Charging time: 10-12 hrs
Duration: 2.5-15hrs/Fan
Option for remote control
0.5 Hour Timing(WITH REMOTE)
Solar panel & Mobile phone charging cable & External LED bulbs & Wall-mount function available
Option for wall fan function
Packing: 1 pc/ colour box, 6pcs/master carton
40'HQ:3048pcs



Option to add 2pcs external LED bulb &
9V3W Solar Panel



2 speed choice
6V4.5Ah seal lead acid battery
Charging time: 12 hours
Duration: 3.5-6hrs
6 Powerful SMD for light
DC 5V USB output Jack for mobile charge
DC 9V input Jack for Solar charge
2 PCS 6V output Jack for LED bulbs
Packing: 1 pc/ colour box,
6pcs/master carton
40'HQ: 3048pcs

Model No.: RD-092(12")




AC / DC operated
9- speed
6V 4.5Ah seal lead acid battery
Charging time: 12hrs
Duration: 3.5-10hrs
6pcs bright LED light
0.5 hours timer
DC 5V USB output Jack for mobile charge
1pc/color box, 4pcs/master ctn,
2848pcs/40'HQ

Model No.: RD-1612(12")




2 speed choice
6V4.5Ah seal lead acid batery
Charging time: 12 hours
Duration: 2-4hrs
6 Powerful SMD for light
DC 5V USB output Jack for mobile charge
DC 9V input Jack for Solar charge
2 PCS 6V output Jack for LED bulbs
Packing: 1 pc/ colour box,
3pcs/master carton
40'HQ: 14" , 2370pcs; 16" , 1650pcs;

Model No.: RD-094(14")
Model No.: RD-096(16")



AC / DC operated
9-speed
6V 7.0Ah seal lead acid battery
Charging time: 15hrs
Duration: 4.5-16hrs for 14";
4-15hrs for 16"
6pcs bright LED light
0.5 hours timer
DC 5V USB output Jack for
mobile charge
1pc/color box, 3pcs/master ctn
40'HQ:14",2175pcs;
16",1680pcs

Model No.: RD-1614(14")
Model No.: RD-1616(16")



Model No.: RD-074(14")
Model No.: RD-076(16")

2 speed choice
6V 4.5Ah seal lead acid battery
6V 7Ah battery for option
Charging time:12 hours
Duration:2.5-4hrs
6 Powerful SMD for light
DC5V USB output Jack for mobile charge
DC9V input Jack for Solar charge
2 PCS 6V output Jack for LED bulbs
Packing:1pc/ colour box,3pcs/master carton
40'HQ:14",2370pcs;16",1650pcs;




Model No.: RD-072(12")

2 speed choice
6V4.5Ah seal lead acid battery
Charging time:12 hours
Duration:3.5-6hrs
6 Powerful SMD for light
DC5V USB output Jack for mobile charge
DC9V input Jack for Solar charge
2 PCS 6V output Jack for LED bulbs
Packing:1pc/ colour box,6pcs/master carton
40'HQ: 3048pcs;

Model No.:RT432-30(12")
Model No.:RT432-35(14")
Model No.:RT432-40(16")
DC motor
6V 4.5Ah Seal Lead Acid Battery
Charging time: 10 hours
Duration : 2.5-10 hours
3 speed choice


AC/DC operation
Option for remote control
6 powerful SMD for light
2pcs DC 6V output jack for LED bulb
DC 5V USB output jack for mobile charge
DC 9V input jack for solar charge
Over charge and over discharge protection
Packing: 1pc/box 3pcs/master carton
12" : 3048pcs/40'HQ
14" : 2370pcs/40'H
16" : 1650pcs/40'HQ





Model No.: RO-1602

16" Rechargeable orbit fan
DC motor, 12V 12W
12V5Ah lead acid battery or lithium-ion battery
Duration: 5-12hrs
With wall control & remote control
Option for Solar panel
Single packing size: 43*13*48.5CM
2pcs/color box, 3064pcs/40'HQ



Model No.: RO-1601

16" DC orbit fan
DC motor, 12V 18W
With 3 speeds regulator
With external adaptor or crocodile clip
Single packing size: 44.5*43.5*32CM
3pcs/color box, 3396pcs/40'HQ



WALL CONTROL
(power bank function)



REMOTE
CONTROL



REGULATER



ALLIGATOR



15V3AH ADAPTOR

ORBIT FAN



Model No.: FD-1607
Model No.: FD-1807
16": Single packing size: 46*24.5*46CM
1300pcs/40'HQ
2pcs/box packing: 46*30*45.5CM
2200pcs/40'HQ
18": Single packing size: 51.5*24.5*51.5CM
1035pcs/40'HQ
2pcs/box packing: 51.5*30*51.5CM
1770pcs/40'HQ



Model No.: FD-1601
Single packing size: 45*24*45CM
1375pcs/40'HQ
2pcs/box packing size: 45*16*65CM
2908pcs/40'HQ



Model No.: FD-1601A
Single packing size: 45*24*45CM
1375pcs/40'HQ
2pcs/box packing size: 45*16*65CM
2908pcs/40'HQ




Model No.: FD-1601B
Single packing size: 45*24*45CM
1375pcs/40'HQ
2pcs/box packing size: 45*16*65CM
2908pcs/40'HQ




Model No.: FD-1605
Single packing size: 45*24*45CM
1375pcs/40'HQ
2pcs/box packing size: 45*16*65CM
2908pcs/40'HQ




Model No.: FD-1806
Single packing size: 51*22*51CM
1180pcs/40'HQ
2pcs/box packing size: 51*33.5*51CM
1560pcs/40'HQ



Model No.: FD-1804
Single packing size: 51*24.5*51CM
1065pcs/40'HQ
2pcs/box packing size: 51*33.5*51CM
1560pcs/40'HQ



Model No.: FD-1803
Single packing size: 51*24.5*51CM
1065pcs/40'HQ
2pcs/box packing size: 51*33.5*51CM
1560pcs/40'HQ



Model No.: FD-1801A
Single packing size: 51*24.5*51CM
1065pcs/40'HQ
2pcs/box packing size: 51*33.5*51CM
1560pcs/40'HQ

Vintage Table Fan



12" Table Fan
Model No.: WD-30MA1
Loading QTY: 680/1360/1530 pcs
color box size: 35*23*34.5cm



12" Table Fan
Model No.: FT-30BV
Loading QTY: 680/1360/1530 pcs
color box size: 35*23*35cm



12" Table Fan
Model No.: WD-30MA2
Loading QTY: 680/1360/1530 pcs
color box size: 35*23*34.5cm




Chrome Copper Gun Metal Bronze Brushed Metal

Metal Table Fan
FT-25MC (10"), 30W, 3535pcs/HQ, 31x21x31cm
FT-30MC (12"), 35W, 2780pcs/HQ, 35x21x35cm
FT-40MC (16"), 50W, 1519pcs/HQ, 46.5x16x59.5cm
CE/CB/ROHS/REACH/ERP/SAA



Chrome Copper Gun Metal Bronze Brushed Metal

Metal Table Fan
FT-25MB (10"), 30W, 3535pcs/HQ, 31x21x31cm
FT-30MB (12"), 35W, 2520pcs/HQ, 35x23x35cm
FT-40MB (16"), 50W, 1150pcs/HQ, 46x28x46cm
CE/CB/ROHS/REACH/ERP/SAA



8" Clock Fan
Model No.:FE-20, 25W
Loading qty: 4224pcs/HQ
4pcs/CTN
Master Carton Size: 58x30x35cm
CE/CB/ROHS/REACH/ERP/SAA



Chrome Copper Gun Metal Bronze Brushed Metal

Metal Stand Fan
FD-40M (16"), 50W, 1519pcs/HQ, 46.5x16x59.5cm
FD-45M (18"), 60W, 1288pcs/HQ, 51x16x64.5cm
CE/CB/ROHS/REACH/ERP/SAA



Metal Stand Fan (16")
FD-40MC, 50W, 1519pcs/HQ, 46.5x16x59.5cm
CE/CB/ROHS/REACH/ERP/SAA



Metal Stand Fan
FD-40M-I (16"), 50W, 1519pcs/HQ, 46.5x16x59.5cm
FD-45M-I (18"), 60W, 1288pcs/HQ, 51x16x64.5cm
CE/CB/ROHS/REACH/ERP/SAA



Metal Stand Fan
FD-40MD (16"), 50W, 991pcs/HQ, 57x18x66cm
FD-45MD (18"), 50W, 991pcs/HQ, 57x18x66cm
CE/CB/ROHS/REACH/ERP/SAA



12" Metal table fan
Model No.WD-30MM, 35W
Loading qty: 1188/2412/2781pcs
Gift box size: 35x21x35cm
CE/CB/ROHS



16" Retro stand fan
Model No.WD-40MB, 50W
Loading qty: 385/804/919pcs
Gift box size: 46.5x46.5x32.5cm
CE/CB/ROHS



8" Metal table fan
Model No.WD-20MM, 25W
Loading qty: 1380/2760/2898pcs
Gift box size: 25.5x24.5x35cm
CE/CB/ROHS



12" Retro table fan
Model No.WD-30MA, 35W
Loading qty: 1092/2214/2412pcs
Gift box size: 35x21x38.5cm
CE/CB/ROHS



16" Retro stand fan
Model No.WD-40MA, 50W
Loading qty: 385x804x919pcs
Gift box size: 46.5x46.5x32.5cm
CE/CB/ROHS



Model No.: FT-30MJ3
Power: 35W
Loading qty: 1536pcs/HQ
Gift Box Size: 36.5x36.5x29.5cm
CE/GS/CB/ETL/CETL/ROHS/REACH



Model No.: FD-40MJ3
Power: 50W
Loading qty: 919pcs/HQ
Gift Box Size: 46.5x46.5x32.5cm
CE/GS/CB/ETL/CETL/ROHS/REACH



Model No.: FD-40MI
Power: 50W
Loading qty: 510pcs/HQ
Gift Box Size: 80x30x51cm
CE/GS/CB/ETL/CETL/ROHS/REACH




Model No.: FE-20I(8"), 45W
Loading qty: 4116pcs/HQ
Master Carton Size: 29×15×29cm
CE/GS/ROHS/REACH/ERP/SAA




FF-400/FF-400R: 66*25*66CM, 620pcs/40'HQ
FF-450/FF-450R: 72*25*71CM, 530 pcs/40'HQ
FF-500/FF-500R: 80*25*79CM , 430pcs/40'HQ





FE-30(12"), 50W, 2048pcs/HQ, 41x20x40cm
FE-35(14"), 70W, 1715pcs/HQ, 45x20.5x43cm
FE-40(16"), 100W, 1265pcs/HQ, 51x20x51cm
FE-45(18"), 130W, 1108pcs/HQ, 55x20x54cm
FE-50(20"), 180W, 741pcs/HQ, 61.5x25.5x60cm
CE/GS/ROHS/REACH/ERP/SAA



FE-30N(12"), 35W, 2584pcs/HQ, 41x18x35.5cm
FE-40(N16"), 50W, 1357pcs/HQ, 51x20x49cm
FE-45N(18"), 70W, 1071pcs/HQ, 56.5x20x54.5cm
FE-50N(20"), 150W, 728pcs/HQ, 60x23.5x62cm
CE/GS/ROHS/REACH/ERP/SAA



WF-50(20")
Packing: 1pc/box
130W, 57×19×70 cm, 915pcs/HQ

Model No.	Product size	Single packing size(cm)	Pcs/40'HQ	Packing type	Pcs/40'HQ
UR-IWB/IWA	20"	58*56*18	1190	SKD	1800
UR-IWB/IWA	24"	73*73*18	660	SKD	1400
UR-IWB/IWA	26"	73*73*18	660	SKD	1400
UR-IWB/IWA	30"	83*83*18	512	SKD	1200



UR-IWB(20"/24"/26"/30")



UR-IWA(20"/24"/26"/30")



UR-ISA(20"/24"/26"/30")

Model No.	Product size	Single packing size(cm)	Pcs/40'HQ	Packing type	Pcs/40'HQ
UR-ISB/ISA	20"	92*56*18	730	SKD	1280
UR-ISB/ISA	24"	73*73*18	660	SKD	1050
UR-ISB/ISA	26"	73*73*18	660	SKD	1050
UR-ISB/ISA	30"	83*83*18	512	SKD	940




UR-ISB(20"/24"/26"/30")



Model No.FD-M2001 (20")
5 speeds, 150W
with regulator 3 alluminum blade
132pcs of 1.8mm grill for front guard
30pcs of 1.8mm grill for rear guard
Packing: 2pcs/box 80*22*60cm
1288pcs/40'HQ



Model No.UR-MS20 (20")
3 speed, 150W
3pcs of Aluminum blades
with 2 pull chains
Packing: 1pc/box 69*18.5*58 cm
918pcs/40'HQ



Model No.UW-M2067 (20")
3 speed, 150W
3pcs of Aluminum blades
with 2 pull chains
Packing: 2pcs/box 55.5*30*57.5cm
1416pcs/40'HQ



UM-W650(26")/UM-W750(30")
Industrial Mist Wall Fan
Plastic water tank capacity: 13L
Mist consumption: 0-5L/H
Available for connecting with running water pipe
UM-W650(26"), 190W, SKD packing, 544pcs/40'HQ
UM-W750(30"), 210W, SKD packing, 482pcs/40'HQ



UM-S650(26")/UM-S750(30")
Industrial Mist Stand Fan
Water tank capacity: 40L
Mist consumption: 0-5L/H
UM-S650(26"), 190W, SKD packing: 430pcs/40'HQ
UM-S750(30"), 210W, SKD packing,396pcs/40'HQ



UDF-60(24")/ UDF-75 (30")/UDF-90(36")
Drum fan
Strong air flow
Oscillation up and down by hand
24", 260W, 73*23*73cm, 550pcs/40'HQ
30", 315W, 87*28*84cm, 335pcs/40'HQ
36", 450W, 100*32*100cm, 215pcs/40'HQ

Rechargeable Mist Fan



Model No: UM-F40W
2L Water Tank, 54W
Max mist volume: 214ml/h
pure copper motor,
5-blade with strong wind.
LED display, 12hrs timer,
infrared remote control,
3-speed control
3-mode for wind(normal, natural, sleep wind)
1pc/color box, 750pcs/40'hq



Model No: UM-1172
2.5L Water Tank, 75W
Max mist volume: 200ml/h
12.V 4.5Ah Rechargeable Battery
Digital Control System With LED Display
3 Wind Modes
3- Speed Selection
1W LED With Strong Light or Weak Light
Swing/Non-swing Operation
Easy Moving
1 to 9 Hours Timer
AC/DC Operated
Overcharge/Overdischarge Protection
Charging Indicator Light
Charging time: 12-15hrs
Duration: 2.5-24hrs/Fan; 1.5-3.5hrs/Mist;
0.6hrs/Fan+Mist; 35-80hrs/Light
1pc/color box, 706pcs/40'hq
Approval: CB



Model No: UM-1173(16")
Model No: UM-1174(18")
2L Water Tank, 80W
Max mist volume: 200ml/h
12V 4.5Ah Rechargeable Battery
Digital Control System With LED Display
3 Wind Modes
3- Speed Selection
5W LED With Strong Light or Weak Light
Swing/Non-swing Operation
Easy Moving
1 to 9 Hours Timer
AC/DC Operated
Overcharge/Overdischarge Protection
Charging Indicator Light
Charging time: 12-15hrs
Duration: 2-28hrs/16"; 2-24hrs/18"
1.5-4hrs/Mist; 0.75hrs/Fan+Mist; 35-85hrs/Light
1pc/color box, 650pcs/40'hq(16"), 560pcs/40'hq(18")

AC/DC Option



Model No: UM-F09
AC motor 75W
Water Tank: 2.8L
Mist working time: 8hrs
Speed: 1-3
1pc/gift box, 60x23x44cm
Loading qty: 480pcs/20'GP,
1010pcs/40'GP, 1175pcs/40'HQ



Model No: UM-F09
DC motor 60W
Water Tank: 2.8L
Mist working time: 8hrs
Timer: 7.5hrs
Speed: 1-9
1pc/gift box, 60x23x44cm
Loading qty: 480pcs/20'GP,
1010pcs/40'GP, 1175pcs/40'HQ



Model No: UM-F08DC
DC motor 60W
Water Tank: 2.2L
Mist working time: 6-8hrs
Timer: 7.5hrs
Speed: 1-9
1pc/gift box, 62.5x23x44cm
Loading qty: 455pcs/20'GP,
960pcs/40'GP, 1100pcs/40'HQ



Model No: UM-F60
16" Mist Fan With Remote
Spraying Mist, Cooling, Humidifying, Removing Dust
Full Copper Motor
75W(Fan: 45w, Humidifier: 30w)
3pcs or 5pcs PP Blade Available
Speed wind adjustment: 1 ~ 3
Remote Control: 1-12hrs
Water Tank: 2L
Max Mist Volume: 220ml/h
Gift Box Size:60x26.8x44cm
Loading qty: 400pcs/20'GP, 820pcs/40'GP,
985pcs/40'HQ
Approval: CE/ROHS/REACH/CB



Model No: UM-F70
Spraying Mist, Cooling, Humidifying, Removing Dust
Full Copper Motor
75W(Fan: 45w, Humidifier: 30w)
3pcs or 5pcs PP Blade Available
Speed wind adjustment: 1 ~ 3
Timer: 2hrs
Water Tank: 2L
Max Mist Volume: 220ml/h
Gift Box Size:60x26.8x44cm
Loading qty: 400pcs/20'GP, 820pcs/40'GP, 985pcs/40'HQ
Approval: CE/ROHS/REACH/ERP/CB



AC Motor or DC Motor option

Model No: UM-F70R
Spraying Mist, Cooling, Humidifying, Removing Dust
Full Copper Motor
75W(Fan: 45w, Humidifier: 30w)
3pcs or 5pcs PP Blade Available
Speed wind adjustment: 1 ~ 3
Remote Control: 1-12hrs
Water Tank: 2L
Max Mist Volume: 220ml/h
Gift Box Size:60x26.8x44cm
Loading qty: 400pcs/20'GP, 820pcs/40'GP, 985pcs/40'HQ
Approval: CE/ROHS/REACH/ERP/CB



Model No: UM-F40A
16" Mist Fan
Spraying Mist, Cooling, Humidifying, Removing Dust
Full Copper Motor
75W(Fan: 45w, Humidifier: 30w)
3pcs or 5pcs PP Blade Available
Speed wind adjustment: 1 ~ 3
Timer: 1hr
Water Tank: 3.2L
Max Mist Volume: 220ml/h
Gift Box Size:60x25.5x46cm
Loading qty: 410pcs/20'GP, 860pcs/40'GP, 1000pcs/40'HQ
Approval: CE/ROHS/REACH/CB



Model No: UM-F45AR
18" Stand mist fan with remote
75W (Fan 45W, Humidifier 30W)
5 AS blades
3 speeds
7.5hrs timer
Wind modes: Natural, Normal, Sleep
Water tank: 3.2L
up to 8 hours mist on a full tank
Box size: 60x25.5x52cm
Loadingq qty: 370pcs/20'gp, 882pcs/40'HQ

AIR COOLER



Model No.: UA-108
Honeycomb paper cooling pad
3 speed (H-M-L) settings with 9m/s
Power:60W
Water Tank: 4L
Air volume: 400-500m3/hr
Auto left-right in 120°, Manual up-down
Product size: 27x26x64cm
Packing Size: 30.7x29.3x64.5cm
Loading qty: 460pcs/20'GP, 930pcs/40'GP, 1120pcs/40'HQ



Model No.: UA-105
With remote, 1-12 hours timer
Power:: 60W
Water Tank: 4L
Air volume: 400-500m3/hr
Product size: 27x26x64cm
Packing Size: 30.7x29.3x64.5cm
Loading qty: 441pcs/20'GP, 906pcs/40'GP, 1036pcs/40'HQ

Rechargeable Model No.: UA-DC109
DC12V, 7500mah Lithium battery pack
Charging time: About 2.5 hrs
Duration: 3-6 hrs

Air Cooler

Folding structure with patent certificate





Mini Water Tank On Top

Model No.: UA-017
With remote control
Auto warning when water use up
Safety protection : Power off when rear grill opened
Power cord winder on rear body
More easy to add water via the mini water tank on top
Set ice box or ice on top mini water tank for improve cooling
ION function for clean the dust in air
Honeycomb cooling pad with antimicrobial & anti-mildew material
20L water tank
Auto Power off when keep running 24H
Product size: 39*34*81cm
Packing size: 41.6*37.6*57.5cm
780pcs/40'HQ





Model No.: UA-109
With remote, 1-12 hours timer
Power:60W
Water Tank: 4L
Air volume: 400-500m3/hr
Auto left-right in 120°, Manual up-downc
Heating function is available
Product size: 27x26x64cm
Packing Size: 30.7x29.3x64.5cm
Loading qty: 460pcs/20'GP,
930pcs/40'GP, 1120pcs/40'HQ

Rechargeable Model No.: UA-DC109
DC12V, 7500mah Lithium battery pack
Charging time: About 2.5 hrs
Duration: 3-6 hrs



Model No.: UA-110
With remote, 1-12 hours timer
Power:65W
Water Tank: 6L
Air volume: 400-500m3/hr
Heating function is available
Mist function is available
Product size: 28x29x69.5cm
Packing Size: 33.5x34x72cm
Loading qty: 350pcs/20'GP,
730pcs/40'GP, 840pcs/40'HQ

Rechargeable Model No.: UA-DC110
DC12V, 7500mah Lithium battery pack
Charging time: About 2.5 hrs
Duration: 3-6 hrs





Model No.: UA-120
With remote, 0.5-7.5 hours timer
Power:65W
Water Tank: 10L
Air volume: 500-600m3/hr
Heating function is available
Mist function is available
Product size: 30x38x64cm
Packing Size: 33x43.2x68.1cm
Loading qty: 290pcs/20'GP,
580pcs/40'GP, 675pcs/40'HQ

Rechargeable Model No.: UA-DC120
DC12V/10Ah Lead acid battery
Charging time: About 5-6 hrs
Duration:3-6 hrs



Model No.: UA-150
With remote, 0.5-7.5 hours timer
Power:65W
Water Tank: 15L
Air volume: 500-600m3/hr
Heating function is available
Mist function is available
Product size: 30x38x69cm
Packing Size: 43x34x73cm
Loading qty: 235pcs/20'GP,
526pcs/40'GP, 630pcs/40'HQ

Rechargeable Model No.: UA-DC150
DC12V/10Ah Lead acid battery
Charging time: About 5-6 hrs
Duration: 3-6 hrs

RECHARGEABLE AIR COOLER



Model No.: UA-1182
Power: 60W
12V4.5Ah Rechargeable Battery
Charging time: 12-15 hours
Duration: 2-8 hrs for fan, 25 hours for light
Digital Control System With LED Display Panel
High/Medium/Low speed
Bright LED With Strong Light or Week Light
Swing/Non-swing Operation
Easy Moving
6 Litre water tank
1-7 Hours Timer
1pc/color box, 848pc/40HQ



Model No.: UA-1181
Power: 60W
12V 7Ah Rechargeable Battery
Charging time: 12-15 hours
Duration: 4-8 hours for fan, 17-100 hrs for light
Digital Control System With LED Display
Wind Modes or Speeds Selection
36pcs Bright LED With Strong Light or Weak Light
Swing/Non-swing Operation
Easy Moving
12 Litre water tank
1 to 7 Hours Timer
1pc/color box, 675pc/40HQ
Certificate: CB



Model No.: UA-12ZTD
VOLTAGE: 110-240V~50/60Hz
9 fan speeds with remote control, 50W
Digital computer control with LED display screen
12 hours timer
3 sides air inlet with honeycomb cooling pad
Automatic left-right swing
30L water tank,
12V 10,000mAh lithium battery
3-4 hours using timer for high speed
Mesa:51x38.5x94cm
368pcs/40'HQ



EF-16(4"/6"/8")



EF-15(4"/6"/8")



EF-18(4"/6"/8")



UR-0802/0602



UR-0801/0601



UR-0807/0607



UR-0818 UR-1018 UR-1218



UR-0818L UR-1018L UR-1218L



UR-1203/1003/0803/0603



UR-1204/1004/0804/0604



UR-1205/1005/0805/0605




UR-IEFA(8"/10"/12"/14")




UR-IEFC(16"/18"/20"/24")



UR-IEFB(12"/16"/18"/24")



UR-IEFG(8"/10"/12"/14"/16")





Model No.: UR-7614 (03)
Loading qty : 1040pcs/40'HQ
Single packing size : 62.5*17.5*62.5CM



Model No.: UR-1415 (03)
Loading qty : 1040pcs/40'HQ
Single packing size : 62.5*17.5*62.5CM

ENERGY SAVER DC Motor

Retractable Ceiling Fan



Model No.: CFI-3584-40 BK 40"
Fan size: 40"/1010 mm
LED 36W
carton size: 63.5*63.5*26.5cm
620pcs/40'HQ



LED: 3 Colors Option

Model No. : CFI-0912-42 YH 42"
Fan size: 42"/1050 mm
LED 36W
carton size: 63.5*63.5*26.5cm
620pcs /40'HQ



BLDC Ceiling Fan



Model No. : CFI-5042 42"
Fan size: 42"/106 mm
LED 36W
carton size: 54.5*54.5*27.5CM
800pcs/40'HQ

Model No. : CFI-5036 36"
Fan size: 36"/91 mm
LED 36W
carton size: 45.5*45.5*29.8CM
1080pcs/40'HQ

LED: 3 Colors Option





Model No. CFI-3542-42 WH 42"
Fan size: 42"
LED 36W
carton size: 54.7*54.7*28.5cm
800 pcs/40'HQ



Model No. CFI-001C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ



Model No. CFI-002C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ



Model No. CFI-003C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ



Model No. CFI-004C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ



Model No. CFI-005C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ

LED: 3 Colors Option





Model No. CFI-006C 42"
Fan size: 42"
LED 36W
carton size: 54.5*54.5*27.5cm
800 pcs/40'HQ

IP65

waterproof

Model No. : CFD-3517-52
Fan sizeL: 52"/1320 mm
DC motor full copper
3 ABS blades
6 speeds
with remote control
LED 18W
carton size: 69*27*32.5cm
1130pcs/40'HQ



Model No. : CFD-3322-52
Fan size:52"/1320 mm
DC motor full copper
5 ABS blades
6 speeds
with remote control
LED 18W
carton size: 69*27*32.5cm
1130pcs/40'HQ









Model No. : CFD-3623-72-BK
Fan size: 72"/1820 mm
LED 36W
Carton size: 88*32.5*28cm
850pcs /40'HQ

LED: 3 Colors Option



Model No. : CFD-3623-52-BK
Fan size: 52"/1320 mm
LED 18W
carton size: 65*27*32.5cm
1200pcs/40'HQ



Model No. : CFD-3623-40-BK
Fan size: 40"/1010 mm
LED 18W
carton size: 45*32.5*24.5cm
1900pcs/40'HQ

LED Light, 3 Colors Option





Model No. : CFD-0978-60-BK
Fan size: 60"/1520 mm
LED 18W
1150pcs/40'HQ

ABS

60"



Model No. : CFD-3629-60-BK
Fan size: 60"/1520 mm
LED 18W
carton size: 73*28*32.5cm
1030pcs /40'HQ

LED Light, 3 Colors Option





ABS

56"

Model No. : CFD-3622-56 WH
Fan size: 56"/1420 mm
LED 18W
carton size:65*39*27cm
1000pcs /40'HQ



56"

Model No. : CFD-3630-56-WH
Fan size: 56"/1420 mm
without LED
carton size: 65*35*27.5cm
1100pcs /40'HQ



56"

Model No. :CFD-3628-56-BK
Fan size: 56"/1420 mm
LED 18W
carton size:65*32*27.5cm
1200pcs /40'HQ

LED Light, 3 Colors Option





ABS

56"

Model No. :CFD-3608-56 WT
Fan size: 56"/1420 mm
LED 36W
carton size: 66*39*26.5cm
1000pcs /40'HQ



LED Light, 3 Colors Option



Model No. : CFD-3608-52
Fan size: 52"/1320 mm
LED 36W
carton size: 69*27*32.5cm
1120pcs /40'HQ



Model No. : CFD-0977-52-BK
Fan size: 52"/1320 mm
LED 18W
1130pcs /40'HQ




Model No. : CFD-3625-40-BK 40"
Fan size: 40"/1010 mm
LED 18W
carton size: 50*24*30cm
1900pcs /40'HQ



LED Light, 3 Colors Option

Model No. : CFD-3620-52-BK
Fan size: 52"/1320 mm
LED 18W
carton size: 69*27*32.5cm
1130pcs /40'HQ





Model No. : CFD-3624-52-WH
Fan size: 52"/1320 mm
Without LED
carton size: 69*27*28cm
1300pcs /40'HQ



Model No. : CFD-0897-52 / CFD-0897-42
Fan size: 52"/1320 mm ; 42"/1220 mm
LED 18W
carton size:69*27*32.5cm
1150pcs /40'HQ



Model No. CFD-0939-52
Fan size: 52"/1320 mm
Without LED
carton size:69*27*32.5cm
1130pcs /40'HQ



Model No.: CFD-0939-52
Fan size: 52"/1320 mm
LED 18W
carton size:69*27*32.5cm
1130pcs /40'HQ

LED Light, 3 Colors Option



36"/42"/52" Option

ABS



Model No. CFD-0799 - 42"
Fan size: 42"/1060 mm
LED 18W



Model No. CFD-0856-42"
Fan size: 42"/1060 mm
LED 18W



Model No. CFD-0799C - 42"
Fan size: 42"/1060 mm
LED 18W



Model No. CFD-0856C-42"
Fan size: 42"/1060 mm
LED 18W



Model No. : CFD-0792-26-BK
Fan size: 26"/660 mm
LED 18W





Model No. : CFD-0792-36-WH
Fan size: 36"/910 mm
LED 18W





Model No. : CFD-0793-52-NB
Fan size: 52"/1320 mm
LED 18W





Model No. : CFD-0794-52-NB
Fan size: 52"/1320 mm
LED 18W





Model No. : CFD-0939-52-BK
Fan size: 52"/1320 mm
LED 18W





Model No. : CFD-0796-52-NK
Fan size: 52"/1320 mm
LED 18W






Model No. : CFD-0797-60-BK
Fan size: 60"/1520 mm
LED 18W





Model No. : CFD-0795-54-BK
Fan size: 54"/1370 mm
LED 18W





Model No.: CFD-0940-46
Fan size: 46"/1150 mm
LED 18W
carton size: 59*27*28.5cm
1500pcs /40'HQ

Model No. CFD-0940-46
Fan size: 46"/1150 mm
without LED
carton size: 59*27*28.5cm
1500pcs /40'HQ



Model No. : CFD-3627-42-WH
Fan size: 42"/1060 mm
LED 18W
carton size: 50*24*30 cm
1900pcs /40'HQ

LED Light, 3 Colors Option







Model No.: DC-C48L
48", 28W
20W LED light
Loading qty: 553/1204/1360pcs
Gift box size: 61*31*25cmcm



Model No.: DC-C48
48", 28W
without LED light
Loading qty: 553/1204/1360pcs
Gift box size: 61*31*25cmcm



Model No.: DC-C60/DC-C60L
60", 43W
Loading qty:432/891/990pcs
Gift box size: 75x37.5x25cm



Model No.: DC-C52/DC-C52L
52", 31W
With & without light
Loading qty: 486/972/1133pcs
Gift box size: 65x37.5x25cm



Model No.: DC-C56L
56", 38W
20W LED light
Loading qty: 420/891/1058pcs
Gift box size: 70*37.5*25cm



Model No.: DC-C56
56", 38W
without LED light
Loading qty: 420/891/1058pcs
Gift box size: 70*37.5*25cm



Model No.: CFD42-A2-L 42"
LED 22W
Color box size: 55*34.5*27.5cm
Loading QTY: 570/1117/1311 pcs

Model No.: CFD52-A2-L / CFD56-A2-L 52" 56"
LED 22W
Color box size: 62.7*34.5*27.5cm
Loading QTY: 500/980/1150 pcs













Model No.: CFD42-T1-L 42"
Color box size: 53*26.8*22.2cm
Loading QTY: 935/1938/2330 pcs

Model No.: CFD52-T1-L / CFD56T1-L 52" 56"
Color box size: 62.5*26.8*22.2cm
Loading QTY: 825/1625/1900 pcs

Model No.: CFD42-T1-LED 42"
Color box size: 53*26.8*22.2cm
Loading QTY: 935/1938/2330 pcs

Model No.: CFD52-T1L-LED / CFD56-T1L-LED 52" 56"
Color box size: 61*34.4*27.8cm
Loading QTY: 540/1050/1200 pcs



Model No.: CFD42-I-5BL 42"
LED 20W
Color box size: 53*42*20cm
Loading QTY: 628/1302/1571 pcs

Model No.: CFD52-I-5BL / CFD56-I-5BL 52" 56"
LED 20W
Color box size: 66*42*20cm
Loading QTY: 205/1046/1262 pcs





Model No.: CFD42-H1-L 42"
LED 22W
Color box size: 56*35.3*27cm
Loading QTY: 613/1273/1537 pcs

Model No.: CFD52-H1-L / CDF56-H1-L 52" 56"
LED 22W
Color box size: 68.7*35.3*27cm
Loading QTY: 500/1039/1254 pcs



Core Feature


HIGH AIRFLOW

QUIET OPERATION

ABS



Model No. :CFD61-0721-8L 61"
Fan size：61"/155cm
9 speeds
290 m³/min
LED 20W
carton size:750*253*263 mm
1420pcs /40'HQ










ABS



Model No. :CFD61-0722A-5L 61"
Fan size: 61"/155cm
9 speeds
240 m³/min
LED 20W
carton size: 694*275*230 mm
1650pcs /40'HQ





Model No. :CFD52-0722B-5L 52"
Fan size: 52"/134cm
9 speeds
205 m³/min
LED 20W
carton size: 617*263*210mm
2100pcs /40'HQ





Model No. : CFD42-0722A-5L 42"
Fan size: 42"/107cm
9 speeds
170 m³/min
LED 20W
carton size: 530*268*222 mm
2120pcs /40'HQ





Model No. :CFD54-0722C-3L 54"
Fan size: 54"/137cm
9 speeds
210 m³/min
LED 18W
carton size: 632*275* 235mm
1700pcs /40'HQ




ABS

Model No. :CFD52-0700-5L 52"
Fan size: 52"/132cm
9 speeds
230 m³/min
LED 20W
carton size: 590*300 * 225 mm
1750pcs /40'HQ





Model No. :CFD42-0700-5L 42"
Fan size: 42"/107cm
9 speeds
180 m³/min
LED 20W
carton size: 450*300* 225mm
2350pcs /40'HQ



Model No. :CFD52-0700-3L 52"
Fan size: 52"/132cm
9 speeds
230 m³/min
LED 20W
carton size: 587*298 *225mm
1800pcs /40'HQ





Model No. :CFD50-0700-3 50"
Fan size:50"/127cm
9 speeds
250 m³/min
carton size: 649*25*251mm
1740pcs /40'HQ





Model No. :CFD42-0209-5 42"
Fan size:42"/107cm
9 speeds
170 m^3/min
carton size: 512*268*223mm
2275pcs /40'HQ











30" Decorative Ceiling Fan

ABS


Model: CFD-5030

Single packing size: 37x21x24.5CM
3600pcs/40'HQ
Approval: CE/ROHS
Size: 30"/76cm

BIG AIR FLOW
DC Motor 30W
5pcs ABS Blade
6 Speed
18W LED light













Model No.: CFD22-I-3BL / CDF30-I-3BL 22" 30"
LED 18W
Color box size: 42*28*27cm
Loading QTY: 881/1826/2200 pcs



Model No.: CFD-3621-36-BK
Fan size：36"/910 mm
LED 18W
carton size: 40.7*32*24.5cm
2150pcs /40'HQ

ABS





Model No. : CFMH52-3CL(W)
Single packing size: 72 x 28.5 x 31CM
1050pcs/40'HQ
Approval: CE/ROHS
Size: 52"/132cm
LED: 3 Colors Option



Model No.: CFMG52-3C
Single packing size: 72 x 28.5 x 31CM
1050pcs/40'HQ
Approval: CE/ROHS
Size: 52"/132cm



Model No. : CFMG52-3C-1
Single packing size: 79.5 x 35.5 x 24.5CM
1000pcs/40'HQ
Approval: CE/ROHS
Size: 52"/132cm



Model No.: CF52-5CL(MP)
Single packing size: 54.6*32.6*25CM
1530pcs/40'HQ
Size: 52"/132cm



Model No. : CF52-5CS-1
Fan size: 48"/1210 mm
LED 18W
Carton size:60x33x22cm
1600 pcs /40'HQ
Size: 52"/132cm





Model No. : CFD-3626-48-BK
Fan size: 48"/1210 mm
LED 18W
Carton size:59*27*28cm
1530 pcs /40'HQ



Model No. : CF48-4CL
Single packing size: 55 x 25.2 x 26CM
1900pcs/40'HQ
Approval: CE/ROHS
Size: 48"/122cm



Model No.: CF48-3CL(MN)
Single packing size: 60.5 x 28.5 x 22.5CM
1750pcs/40'HQ
Approval: CE/ROHS
Size: 48"/122cm

EUROPEAN PLUGS



QL-313 QL-307 QL-333

UNITED KINGDOM AC PLUGS



QL-340 QL-341

BRAZIL PLUGS



QL-318

SOUTH AFRICA PLUGS



QL-331

KOREA EK PLUGS



QL-402 QL-401

ARGENTINA PLUGS



QL-202 QL-212

AUSTRALIAN AC PLUGS



QL-213 QL-201

UL / CSA(C-UL) PLUGS



QL-102 QL-101 QL-350

Note: